



# POWERSPORT SERIES



## 4-STROKE MOTOR OILS

RECREATIONAL TO HIGH  
PERFORMANCE RACING



### T-4R SYNTHETIC BLEND

FOUR STROKE MOTOR OIL



Contains No Friction Modifiers

T-4R provides positive clutch activation, smoother shifting, highest degree of anti-wear and high shear stability with our race proven technology. We use specially selected synthetic and petroleum base stocks with an extreme pressure additive especially for integrated transmissions.

**SAE GRADES : 10W40 and 20W50**

**SIZES : 1-Litre, 20 Litre, 208 Litre**

<b>PART#</b> 10w40 - 1L	<b>T671044-1</b>	20w50 - 1L	<b>T672055-1</b>
10w40 - 20L	<b>T671044-20</b>	20w50 - 20L	<b>T672055-20</b>
10w40 - 208L	<b>T671044-208</b>		



### T-4SR 100% SYNTHETIC

FOUR STROKE MOTOR OIL



Contains No Friction Modifiers

T-4SR provides reduced frictional losses for more power, more positive clutch activation and smoother shifting under high performance conditions. Specifically designed for the highly stressed 4-stroke engines used in professional motorcycle racing today, T-4SR contains our own specially formulated additive system and the finest oil base stocks, providing you with the highest level of temperature control, viscosity control, shear stability and anti-wear protection available with race proven technology.

**SAE GRADES : 10W40 and 20W50**

**SIZES : 1-Litre, 20 Litre**

<b>PART#</b> 10w40 - 1L	<b>T651044-1</b>	20w50 - 1L	<b>T652055-1</b>
10w40 - 20L	<b>T651044E</b>	20w50 - 20L	<b>T652055-20</b>



### T-4MXR SYNTHETIC BLEND

FOUR STROKE MOTOR OIL



Contains No Friction Modifiers

T-4MXR offers the highest degree of protection under extreme temperatures, severe shock loads and peak RPMs. T-4MXR is a blend of specially selected synthetic and petroleum base oils for today's off road four-stroke engines. This combination along with Torco's proprietary anti-wear additive system improves ring seal, protects valve train, eliminates deposits, controls foam, resist shock loads and provides smooth, positive clutch activation.

**SAE GRADES : 15W40**

**SIZES : 1-Litre, 20 Litre, 208 Litre**

<b>PART#</b> 15w40 - 1L	<b>T671544-1</b>
15w40 - 20L	<b>T671544E</b>
15w40 - 208L	<b>T671544B</b>

## 4-STROKE MOTOR OILS

RECREATIONAL TO HIGH  
PERFORMANCE RACING



### T-4 PETROLEUM BLEND

FOUR STROKE MOTOR OIL



Contains No Friction Modifiers

T-4 provides excellent engine and transmission protection in high temperature environments. Our exclusive blend of additives and polymer systems resist high shock loads and prevent shearing and eliminate deposits. Excellent choice for use in aftermarket clutch applications.

**SAE GRADES : 10W40 and 20W50**

**SIZES : 1-Litre, 4-Litre, 20 Litre, 208 Litre**

<b>PART#</b> 10w40 - 1L	<b>T611040-1</b>	20w50 - 1L	<b>T612050-1</b>
10w40 - 4L	<b>T611040-4</b>		
10w40 - 20L	<b>T611040-20</b>		
10w40 - 208L	<b>T611040B</b>		

TORCO





# 2-STROKE MOTOR OILS

RECREATIONAL TO HIGH PERFORMANCE RACING



## T-2i SYNTHETIC BLEND TWO STROKE INJECTION OIL

T-2i provides better throttle response, improved acceleration and increased power efficiency with "ultra-clean" performance and protection. Our proprietary additive system virtually eliminates deposits under a full range of RPM and temperature conditions.

**SIZES:** 1 Litre, 20 Litre

**PART#** 1L **T920022-1**  
20L **T920022-20**

## T-2R SYNTHETIC BLEND HIGH PERFORMANCE OIL

T-2R provides an advanced additive system that reduces plug fouling and ring sticking under a full range of RPM and temperatures. This well-balanced blend of smokeless synthetic and highly refined petroleum base oils gives you extra wear protection, "ultra clean" performance, enhanced throttle performance and increased horsepower.

**SIZES:** 500ML

**PART#** 500ML **T920033-YE**

## GP-7 100% SYNTHETIC TWO STROKE RACING OIL

GP-7 is a 100% synthetic oil specifically designed for high output 2-stroke racing engines. GP-7 utilizes Torco's advanced smokeless technology to increase power efficiency, improve throttle response and provide "ultra-clean" performance. A combination of synthetic fortifiers and additive systems provide protection under extreme temperatures, high rpm and load conditions. GP-7 will prevent plug fouling, pre-ignition, ring sticking and power valve deposits. Recommended for liquid cooled or air cooled 2-cycle engines. GP-7 meets or exceeds JASO FC / ISO-L-EGD.

**SIZES:** 500ML, 1 Litre, 4 Litre, 20 Litre

**PART#** 500ML **T930077-YE** 4L **T930077-4**  
1L **T930077-1** 20L **T930077-20**

## PWC SYNTHETIC BLEND WATERCRAFT TWO STROKE OIL

PWC Watercraft Two Stroke Oil is a superior blend of smokeless synthetic base oils, petroleum base oils and low ash additives designed for high output personal watercraft engines. PWC offers lower emissions, superior engine protection and improved throttle response. A proprietary additive system provides superior anti-friction and anti-wear technology while protecting against rust and oxidation. PWC is formulated to protect pistons, rings, cylinder heads, spark plugs and power valves from harmful deposits.

For oil injection or pre-mix applications.

**SIZES:** 1 Litre, 4 Litre, 20 Litre, 208 Litre

**PART#** 1L **W950055-1** 20L **W95055-20**  
4L **W950055-4** 208L **W95055-208**



## MGO SYNTHETIC BLEND

MOTORCYCLE GEAR OIL

MGO Motorcycle Gear Oil provides the highest degree of performance and protection for all gear and final drive applications over a wide temperature range. Formulated with a select combination of synthetic and petroleum base oils to provide high shear resistance and extreme pressure protection. MGO is fortified with shear stable polymers, rust inhibitors, foam suppressants, pour point depressants, anti-wear and extreme pressure additives.

**SIZES:** 1 Litre, 20 Litre

**PART#** 1L **T748090-1**  
20L **T748090-20**

## TRANSMISSION & GEAR

# OILS



## MTF SYNTHETIC BLEND

MOTORCYCLE TRANSMISSION FLUID

MTF Motorcycle Transmission Fluid provides improved shifting, clutch engagement and clutch life. Available for 2-stroke and 4-stroke wet clutch transmissions in a range of grades. This series of light viscosity gear fluids is a balanced blend of the most advanced synthetic and high VI petroleum base stocks. MTF offers superior film strength, high shear stability, anti-wear, anti-foam, anti-oxidation and shock load protection. Exceeds API GL-4.

**SAE GRADES:** 80W

**SIZES:** 1-Litre, 20-Litre

**PART#** 1L **T700080-1**  
20L **T700080-20**





# POWERSPORT SERIES

## V-SERIES V-TWIN OILS



### V-SERIES "ST" FORMULATED WITH MPZ<sup>®</sup> MOTOR OIL

V-Series "ST" provides improved engine cooling, cleaning, ring seal, deposit control and anti-wear protection. Torco custom blended this product especially for Harley-Davidson<sup>®</sup> and custom V-Twin engines. Formulated with our proprietary MPZ<sup>®</sup> race proven additive, combined with highly refined petroleum base stocks and special additives and polymers, this product will help to maintain viscosity and provide thermal stability in high temperature environments in air-cooled V-Twin engines.

**SAE GRADES:** 20W50, 50, 60

**SIZES:** 1-Litre, 20-Litre

<b>PART#</b> 20W50 - 1L	<b>T632050-1</b>	<b>SAE 50 - 1L</b>	<b>T630050-1</b>
20W50 - 20L	<b>T632050-20</b>	<b>SAE 60 - 1L</b>	<b>T630060-1</b>

### V-SERIES "SS" FORMULATED WITH MPZ<sup>®</sup> MOTOR OIL

V-Series "SS" 100% synthetic oil provides ultimate protection and performance for your air cooled V-Twin engine. V-Series "SS" is formulated with a select and unique base oil combination of Group IV and V synthetic base stocks. This formulation offers extreme temperature lubrication, long term durability and engine cleanliness. Torco's proprietary additive system, MPZ<sup>®</sup>, addresses boundary lubrication to reduce frictional losses.

**SAE GRADES:** 20W50

**SIZES:** 1-Litre, 20-Litre

<b>PART#</b> 20W50 - 1L	<b>T642050-1</b>
20W50 - 20L	<b>T642050-20</b>



### V-SERIES TRANS LUBE SYNTHETIC BLEND MOTOR LUBRICANT

V-Series Trans Lube offers race proven extreme pressure and anti-wear chemistries designed to protect all gear face surfaces and bearing components found in Harley<sup>®</sup> and aftermarket transmissions. This unique chemistry provides smooth shifting, anti-rust/oxidation and the highest degree of protection for extended transmission life. For use in all 4 and 5 speed FL, FLT, FX and FXR transmissions as well as aftermarket 6 speed transmissions.

**SAE GRADES:** 75W90

**SIZES:** 1-Litre

**PART#** 75W90 - 1L **T737590-1**

## V-SERIES V-TWIN OILS



### V-SERIES PRIMARY CHAINCASE LUBRICANT SYNTHETIC BLEND MOTOR LUBRICANT

V-Series Primary Chaincase Lubricant provides the highest degree of protection and smooth positive clutch operation. It is formulated with a well thought out blend of synthetic and petroleum base oils designed to protect all critical drive components in Harley and aftermarket chaincases. Recommended for use in FL, FLT, FX and FXR chaincase applications. Also recommended for the combined primary/transmission of Sportster Series XL and XR applications.

**SIZES:** 1-Litre, 20-Litre

<b>PART#</b> 20W50 - 1L	<b>T730080-1</b>
20W50 - 20L	<b>T730080-20</b>

TORCO





# SUSPENSION FLUIDS



## RFF SYNTHETIC BLEND

### RACING FORK FLUID

RFF Racing Fork Fluid provides consistent fade-free performance for all conventional cartridge and damper rod fork applications with our High VI synthetic blend formula. A proprietary additive system features the best anti-stiction, anti-friction and anti-wear technology available. RFF is also treated with special anti-foam, seal conditioners, anti-oxidation and corrosion inhibitors for long term durability and component life. **PART#**

<b>GRADES : 5, 7, 10, 15, 20</b>	<b>5W - 1L</b>	<b>T830005-1</b>	<b>5W - 20L</b>	<b>T830005-20</b>
<b>SIZES : 1-Litre, 20-Litre</b>	<b>7W - 1L</b>	<b>T830007-1</b>	<b>7W - 20L</b>	<b>T830007-20</b>
	<b>10W - 1L</b>	<b>T830010-1</b>	<b>10W - 20L</b>	<b>T830010-20</b>
	<b>15W - 1L</b>	<b>T830015-1</b>	<b>15W - 20L</b>	<b>T830015-20</b>
	<b>20W - 1L</b>	<b>T830020-1</b>	<b>20W - 20L</b>	<b>T830020-20</b>

## RSF 100% SYNTHETIC

### RACING SHOCK FLUID

RSF Racing Shock Fluid provides the best protection available against foaming, seal swell, oxidation and corrosion. RSF is formulated for modern suspension systems using the most advanced 100% synthetic base fluids to provide consistent performance during long duration and severe temperature conditions. Both RSF Light and RSF Medium exceed manufacturer warranty requirements.

<b>GRADES : Light &amp; Medium</b>	<b>PART#</b>		
<b>SIZES : 1 Litre, 20-Litre</b>			
<b>LIGHT - 1L</b>	<b>T820005-1</b>	<b>LIGHT - 20L</b>	<b>T820005-20</b>
<b>MEDIUM- 1L</b>	<b>T820007-1</b>	<b>MEDIUM- 20L</b>	<b>T820007-20</b>

## ZEP ZINC ENGINE PROTECTOR

The latest changes in American Petroleum Institute (API) specifications for automotive oils were based on improving emissions, NOT wear protection or performance. API has lowered the levels of phosphorus and zinc in the latest SM rating, which are crucial anti-wear and anti-weld agents. ZEP contains Torco MPZ®, a friction fighting chemistry which adds wear protection back into motor oils and directly addresses today's lower zinc levels. The anti-wear separation barrier that ZEP provides will protect all high stress and contact points inside your high performance engine, especially those with flat tappet cams.

**SIZES:** 355ml Bottle **PART#** A010033LE

## ACCELERATOR RACE FUEL CONCENTRATE

With many of the same additives that are utilized in Torco Racing Fuels formulas, Torco Accelerator is a blend of components which will transform the makeup of premium pump gas to closely resemble race fuel. Torco Accelerator will lower the end burn temperature which makes your fuel burn more completely thus releasing all of the power that your engine has to offer. Efficiency equals horsepower.

**SIZES:** 946ml Bottle **PART#** A500010TE

## MPZ® ENGINE ASSEMBLY LUBE

In liquid form, allows for complete coverage and protection of rod and main bearings, bushings, wrist-pins, pistons, gears and chains. Excellent adhesion properties and will not run or drip from treated parts.

**SIZES:** 118ml Bottle, **PART#** A550055J | 355ml Bottle, **PART#** A550055K

## MPZ® ENGINE ASSEMBLY LUBE HP

In gel form, "stays put" and allows for complete protection of high stress and high load parts, such as cam lobes, lifters, push-rods, gears and chains. Won't run, drip or migrate. Highly recommended for high pressure point areas.

**SIZES:** 148ml Tube, **PART#** A360000QE

## MPZ® SPRAY LUBE

In spray form, allows the product to penetrate as a liquid and then "gel". Provides complete protection for rocker-arms, valve springs, push-rods and any hard to reach spots to reduce frictional heat. Stays put - won't run, drip or migrate.

**SIZES:** 113 GRAMS Net Wt. **PART#** A560000

# SERVICE & ASSEMBLY PRODUCTS



## MPZ® ENGINE ASSEMBLY LUBES

Favored by professional mechanics, all forms of Torco EAL are oil soluble lubricants with added MPZ® to provide anti-wear, anti-friction and anti-shock protection to all internal engine parts. MPZ® lays down a separating anti-wear barrier on engine components so that once EAL becomes soluble in the oil, the additive system continues to protect parts. EAL products are designed to stay put on parts in the most demanding, high temperature areas of the engine. Prevents scuffing, galling, seizure and wear. EAL stays put and won't let go!





# SERVICE & ASSEMBLY PRODUCTS



## FFO FOAM FILTER OIL SPRAY

Foam Filter Oil Spray (FFO) is formulated with special base oils and tackifier additives to prevent moisture and abrasive elements from passing through foam filter elements and entering the engine. FFO is easy to apply and will not dry out, drip or run. FFO will not gum up or clog foam passages while providing maximum airflow.

**SIZES:** 369 Gram Net Wt.  
**PART#** T850001A



## POWER SLIDE® CHAIN LUBE WITH MPZ®

Power Slide Chain Lube is an MPZ® formulated lubricant that provides extreme wear and rust protection chemistry. Power Slide Chain Lube quickly penetrates deep into bushings, pins, bearings and rollers then sets to a stable grease that will not fling or melt under high temperature conditions. Designed to exceed the demands of high performance and racing conditions for both on- and off-road.

**SIZES:** 156 Gram Net Wt. **PART#** A560055  
397 Gram Net Wt. **PART#** A560140



## MULTI-PURPOSE WATERPROOF GREASE

Multi-Purpose Waterproof Grease is a lithium complex grease formulated to offer superior lubricating qualities in a wide range of powersport applications. Provides excellent waterproofing, shock load protection, extreme temperature stability and anti-rust protection. Multi-Purpose Waterproof Grease is buttery smooth and easy to apply.

**SIZES:** 228 Gram Tube  
**PART#** T300160



## BRAKE & CONTACT CLEANER

Brake & Contact Cleaner is a quick drying solvent that effectively removes all traces of dirt, dust, brake fluids, oils and greases from many mechanical surfaces. Brake & Contact Cleaner effectively eliminates these elements from brake parts and metal surfaces without leaving a residue.

**SIZES:** 369 Gram Net Wt.  
**PART#** T570000



## PL-50 PENETRATING LUBRICANT

PL-50 Penetrating Lubricant is a multi-use penetrating fluid that displaces moisture and provides superior light film lubrication. PL-50 is formulated to penetrate quickly and relieve seized or rusted parts. PL-50 offers superior wear protection, anti-corrosion and will extend the life of treated components. Can even be used as a chain lube if applied often.

**SIZES:** 349 Gram Net Wt.  
**PART#** T580014



## MOTO-PREP PROTECTIVE COATING SPRAY

Moto-Prep Protective Coating Spray is ideal for restoring and reviving dull, faded surfaces to a dry, shiny finish. Moto-Prep is formulated for use on metal, alloy, plastic and rubber surfaces providing a long lasting shine. Moto-Prep is intended for many powersport applications and is excellent for displacing moisture and protecting against corrosion. Recommended to be used as a fogger for watercraft and marine engines.

**SIZES:** 349 Gram Net Wt.  
**PART#** T590123



TORCO